

## Trooper8

**Tandem Axle** 

Fertliizer – Ground Wheel Drive



# Is Liberty Right For You?

Medium Capacity
Variety of Applications
Ground Wheel Drive
Conveyor

PTO or Hydraulic Driven Spinners

### Your Lowest "Cost In Use" Spreader

- UHMW and Stainless Steel Reduces Corrosion Issues and Extends the Life of the Spreader
- Stainless Steel Bearing Backer keeps bearings clean resulting in longer bearing life and fewer failures.
- Hydraulic Spinners spread Fertilizer
   80' with 80' drive pattern

- PTO Spinners spread Fertilizer 60'
- Save Fuel and Time
- Proprietary BBI spreader system delivers a wider, flatter more consistent pattern.
- Overhead spinner motors are ABOVE the chemical resulting in extended motor life.









### SALFORD BBIA Trooper8

Tandem Axle Fertliizer- Ground Wheel Drive

Suggested Use: Specialized distribution of granular fertilizer. External Ground Wheel Drive by traction against the tire to the Conveyor. Ground wheel hydraulically engaged and disengaged from the dire during operation. PTO or Hydraulic Driven Spinners, UHMW Comb Cover prevents streaking in the field, Flotation tires minimize compaction, One piece CNC machined comb get longer chain life.

#### STANDARD FEATURES

- 10' Bolt on Carbon Steel (B)
   Hopper with 409 Stainless Steel
   Floor
- 8" 304 Stainless Steel Mesh
   Chain Conveyor
- Wide Swath (80' fertilizer)
   Requires 21 gpm @ 2000 psi
- Heavy Duty Perfect Hitch
- 9000 lb Henshen "Torsion Flex" tandem axles with 16.5 x 16.1
   Implement tires with 8 Bolt Hub

### **OPTIONAL EQUIPMENT**

- 304 or 409 Stainless Steel Hopper and Floor
- (H) 6"Lower or (L) 10" Lower Hopper



#### **OPTIONAL EQUIPMENT**

- Hopper Extension Brackets
- 16", 18", 20" Stainless Steel Mesh Chain Conveyor or 24" Bar Conveyor
- 7000 lb Henshen "Torsion Flex" tandem axles with 12.5 x 12.1
   Implement tires with 6 bolt Hub
- 10 ton Walking Beam Suspension with 16.5 x 16.1 Implement tires with 8 bolt Hub (standard with 16, 18 or 20" chain)
- 14 ton Walking Beam Suspension with 21.5L x 14 ply tires with 10 bolt Hub
- Metal press wheel
- 10' Roll Tarp
- ISO Rate controller with PWM

